SECTION 1	Chemicals and company identi	ification
Pro	duct name	SURFCLEAR 300
Pro	duct code	ES26
Con	npany name	CANON OPTRON INC.
Add	lress	1744-1, Kanakubo, Yuki-shi, Ibaraki-ken, 307-0015 Japan
Sec	ction name	Sales Department
Tele	ephone number	+81-296-21-3700
Fax	number	+81-296-21-3770
Eme	ergency telephone tumber	+81-296-21-3700
Use	•	Vacuum deposition material

SECTION 2 Hazards identification

GHS Classification (A classification by JIS Z 7252 "classification methods such as chemical substances based on GHS")

Physical hazards	Explosives	Classification not possible
	Flammable gases	Not applicable
	Aerosols	Not applicable
	Oxidizing gases	Not applicable
	Gas under pressure	Not applicable
	Flammable liquids	Not applicable
	Flammable solids	Classification not possible
	Self-reactive substances and mixtures	Classification not possible
	Pyrophoric liquids	Not applicable
	Pyrophoric solids	Classification not possible
	Self-heating substances and mixtures	Classification not possible
	Substances and mixtures which,in contact with water,emit flammable gases	Classification not possible
	Oxidizing liquids	Not applicable
	Oxidizing solids	Classification not possible
	Organic peroxides	Classification not possible
	Corrosive to metals	Classification not possible
	Desensitize explosives	Classification not possible
Health hazards	Acute toxicity(oral)	Classification not possible
	Acute toxicity(dermal)	Classification not possible
	Acute toxicity (Inhalation: Gases)	Not applicable
	Acute toxicity (Inhalation: Vapors)	Classification not possible

	Acute toxicity (Inhalation: Dusts and mists)	Classification not possible
	Skin corrosion/irritation	Classification not possible
	Serious eye damage/eye irritation	Classification not possible
	Respiratory sensitization	Classification not possible
	Skin sensitization	Category 1A
	Germ cell mutagenicity	Classification not possible
	Carcinogenicity	Classification not possible
	Reproductive toxicity	Classification not possible
	Reproductive toxicity, effects on or via lactation	Classification not possible
	Specific target organ toxicity(single exposure)	Category 1
	Specific target organ toxicity(repeated exposure)	Classification not possible
	Aspiration hazard	Classification not possible
Environmental hazards	Hazardous to the aquatic environment Short-term(acute)	Classification not possible
	Hazardous to the aquatic environment Long-term(chronic)	Classification not possible
	Hazardous to the ozone layer	Classification not possible

Label elements

hazard Pictograms

Exclamation Health Hazard

Signal word

Dangerous goods hazard information

May cause an allergic skin reaction. May cause respiratory irritation. Causes damage to organs Digestive organs.

Danger

Precautionary statements

CANON OPTRON INC. SDS Number: ES26 Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.2 Date of Issue 2020/6/18 Revised Date 2022/10/3

【Safety measures】	Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear Protective glovess/protective clothing/eye protection/face protection.
【First−aid measures】	IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Call a poison center or doctor/physician. Call poison center or doctor/physician if you feel unwell. Specific treatment. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
[Storage]	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
【Disposal】	Dispose of contents/container in accordance with national regulations.
[Other hazards]	-

SECTION 3 Composition/information on ingredients

•	-				
Substance/Mixture	Mixture				
Chemical name	Copper	Iron	Fluoroalkylether		
Chemical formula	Си	Fe	Fluoroalkylether		
Concentration or concentration range	99.9% or more is a r	mixture of copper, iron and	Fluoroalkylether.		
CAS No.	7440-50-8	7439-89-6	Confidential-15		
TSCA Inventry	Copper	Iron	No data available		
EINECS number	231-159-6	231-096-4	No data available		
Radioactive information		nces are not used as the m g radiation would be generat	aterial. Therefore, there is no ed.		
SECTION 4 First aid measures					
Inhalation	•	fresh air and keep comforta ⁄attention if you feel unwell	0		
Skin contact	a contact Take off immediately all contaminated clothing. Rinse affected areas with water/shower. IF ON SKIN:Wash with plenty of soap and water. If skin irritation or rash occurs: :Get medical advice/attention.				
Eye contact	present and easy to	th water for several minute o do. Continue rising. sists : Get medical advice/at	s.Remove contact lenses, if tention.		

			rev. 7.2	Date of Issue Revised Date	2020/6/1 2022/10/
Ingesti	on	Rinse mouth. Get medical advice/attention.			
	mportant symptoms and s, both acute and delayed	No data available			
Protec	tion of first aiders	Rescuers, wear suitable protective equipment	as the situat	ion demands.	
Specia	I precautions for physicians	No data available			
SECTION 5 F	irefighting measures				
Suitab	le extinguishing media	This product itself is not flammable.			
Unsuit	able extinguishing media	No data available			
Specifi	ic hazards	No data available			
Specifi	ic extinguishing methods	In the case of a fire in the periphery, the porta safe place.	ble container	r is quickly moved	d to a
Specia firefigh	I protective equipment for nters	Wear suitable protective equipment (gloves, gla	asses and a n	nask) in fire-fight	ing.
equipm proced		Protection equipment (specified as those in wh are suitable) worn during operation so that airk to the skin and dusts and gases are not absort	oorne droplet oed.	•	
Enviro	nmental precautions	The leakage may not directly flow into rivers o	r sewage.		
	ds and material for nment and cleaning up	The leaked material is scooped up, or swept up a paper bag or a drum. After recovery, a small amount of the residue etc.			
Secon measu	dary disaster prevention res	No data			
SECTION 7 F	landling and storage				
Precau	utions for safe handling				
Te	echnical measures	Take measures for equipment as described in protection" and wear protective equipment.	"8. Exposure	controls/person	al
Sa	afety handling precautions	Handling work must be practiced in a room who ventilation facility.	ere there is a	a local or total	
Av	voidance of contact	Refer to "10. Stability and reactivity."			
H	ygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this pro	oduct.		
	ions for safe storage, ng any incompatibilities				

		r	rev. 7.2	Date of Issue Revised Date	2020/6/18 2022/10/3
Safe storage conditions	Store in a well-ventilated Store locked up.	place. Keep container tig	htly clos	ed.	
Safety packaging material	No data available				
SECTION 8 Exposure controls/persona	l protection				
	<u>Cu</u>	<u>Fe</u>	<u>Fluo</u>	roalkylether	
Permissible concentration					
ACGIH	TWA 0.2 mg/m [*] (Hume), TWA 1 mg/m [*] (dust, mist) (2013 Edition)	No data available	No d	lata available	
Appropriate engineering controls	Use sealed devices, equip possible.	∣ ment, or a local exhaust \	ventilatio	n as much as	
Individual protection measures, such as personal protective equipment					
Respiratory protection	Dustproof mask				
Hand protection	Protective gloves				
Eye/face protection	Dust-proof glasses				
Skin protection	Protective clothing				

SECTION 9 Physical and chemical properties

Appearance

Physical state	Solid
Form	Cup or fibrous form
Colour	Copper and dark grey
Odour	None

<u>Cu</u>

<u>Fe</u>

<u>Fluoroalkylether</u>

Melting point/freezing point	1083℃	1535℃	No data available
Boiling point or initial boiling point and boiling range	2595℃	2730°C	168.8 F(76 °C) (Fluoroalkylether)
Flammability	No data available	No data available	No data available
Upper/lower flammability or explosive limits	No data available	No data available	LEL:210g/m [*] (Fluoroalkylether) UEL:1070g/m [*] (Fluoroalkylether)
Flash point	No data available	No data available	Not applicable
Auto-ignition temperature	No data available	No data available	No data available

rev. 7.2 Date of Issue 2020/6/18 Revised Date 2022/10/3

Decomposition temperature	No data available	No data available	No data available
рH	No data available	No data available	Immeasurable
Kinematic viscosity	No data available	No data available	1 mm2/s (25 ° C)
Solubility			
Water	Insoluble	Insoluble	Insoluble
Other solvents	It gradually dissolve in an ammonium solution. : HSDB(2013)	No data available	No data available
Partition coefficient: n- octanol/water	No data available	No data available	Not applicable
Vapour pressure	1 mm Hg at 1628°C: HSDB(2013)	No data available	14kPa (Fluoroalkylether,
Density and/or relative density	8.94g/cm [*] :HSDB(2013)	7.86	1.47(25°C)
(Density)			
Relative vapor density	No data available	No data available	9.1 (Fluoroalkylether)
Particle characteristics	No data available	No data available	No data available
Other information	No data available	No data available	No data available

SECTION 10 Stability and reactivity

. <u>Cu</u>

Fluoroalkylether

Reactivity	Turns green upon exposure to humid air. Compounds sensitive to shock are formed by acetylene compounds, ethylene oxides, and azides	No data available	No hazardous reaction known under normal condition of use,storage and transport.
Chemical stability	Turns green upon exposure to humid air. Compounds sensitive to shock are formed by acetylene compounds, ethylene oxides, and azides	<i>Slowly oxidizes in the atmosphere.</i>	Stable at normal conditions
Possibility of hazardous reactions	Reacts with oxides (chlorates, bromates, and iodates, etc.), so there is a risk of explosion	Produces rust when in presence of humidity.	Hazardous polymerization does not occur
Conditions to avoid	Contact with humidity and hazardous reactive materials.	High temperature, humidity, and flame	No data available

<u>Fe</u>

CANON OPTRON INC.		
SDS Number:	ES26	
Product Name:	SURFCLEAR	300

rev. 7.2 Date of Issue 2020/6/18 Revised Date 2022/10/3

Incompatible materials	Acetylene compounds, ethylene oxides, azides, and oxidants (chlorate, bromate, iodate, etc)	Strong acids and ammonia	Strong oxidants, water, acids, and alkalines
Hazardous decomposition products	Carbon monoxide, carbon dioxide, and copper fumes produced by combustion.	No data available	Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product. hazardous decomposition gases including hydrogen fluoride, carbonyl difluoride, carbon monoxide, low molecular weight fluorocarbons, silicon dioxide.

SECTION 11 Toxicological information

	<u>Cu</u>	<u>Fe</u>	<u>Fluoroalkylether</u>
Acute toxicity(oral)	No data available	Oral administration in rat: LD50: 30 g/kg, Intraperitoneal administration in rat: LDLo: 20 mg/kg Oral administration in guinea pig: LD50: 20 mg/kg	No data available
Acute toxicity(dermal)	No data available	No data available	No data available
Acute toxicity (Inhalation: Gases)	Solid (GHS definition)	No data available	No data available
Acute toxicity (Inhalation: Vapours)	Solid (GHS definition)	No data available	No data available
Acute toxicity (Inhalation: Dusts and mists)	No data available	No data available	No data available

8 / 12 Page

CANON OPTRON INC.	
SDS Number:	ES26
Product Name:	SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.2 Date of Issue 2020/6/18 Revised Date 2022/10/3

Skin corrosion/irritation	Classification not possible due to lack of data. Besides, it is described in PATTY (6th, 2012) that contact dermatitis associated with copper has been reported, but few cases of dermatitis caused by copper metal or its compounds occur in	No data available	No data available
Serious eye damage/irritation	the industry. No data available	No data available	No data available
Respiratory or skin sensitization	It was classified in Category 1A because the Japan Society for Occupational Health (JSOH) classified copper and its compounds as occupational skin sensitizers Group 2 (Recommendation of Occupational Exposure Limits (Japan Society For Occupational Health (JSOH), 2012)), and it applies to this substance (OEL Documentations (Sensitization classification) (Japan Society For Occupational Health (JSOH, May 26,	No data available	No data available
Germ cell mutagenicity	2010))). No data available	No data available	No data available
Carcinogenicity	It was classified as "Classification not possible" because the U.S. EPA classified it in I (IRIS (2005)). The category was revised according to the revised GHS classification guidance for the Japanese government.	No data available	No data available
Reproductive toxicity	No data available	No data available	No data available

CANON OPTRON INC.	
SDS Number:	ES26
Product Name:	SURFCLEAR 300

rev. 7.2 Date of Issue 2020/6/18 Revised Date 2022/10/3

exposure)	From the knowledge in humans in EHC (1998).	No data available	No data available
	ACGIH (7th, 2001), and		
	ATSDR (2004),		
	respiratory symptoms		
	(respiratory tract		
	irritation) are the main		
	acute toxic signs in the		
	inhalation route. As for		
	oral exposure, it is		
	described that digestive		
	symptoms (nausea,		
	vomiting, abdominal pain,		
	etc.) were observed after		
	the ingestion of drinking-		
	water and others		
	containing high copper		
	concentrations, and there		
	are numerous reports		
	that nausea and vomiting		
	mainly occurred. Other		
	than these, it is reported		
	in EHC that inhalation		
	exposure caused		
	hepatomegaly, but the air		
	levels were very high, and		
	it is described in ATSDR		
	that liver lesions from		
	acute copper poisoning		
	are rare except for		
	specific diseases		
	(Wilson's disease, etc.).		
	Therefore, the liver was		
	not included in the target		
	organs, and it was		
	classified in Category 1		
	(digestive system),		
	Category 3 (respiratory		
	tract irritation).		

10 / 12 Page

CANON OPTRON INC.		
SDS Number:	ES26	
Product Name:	SURFCLEAR 300	

SAFETY DATA SHEET

rev. 7.2 Date of Issue 2020/6/18 Revised Date 2022/10/3

Specific target organ	It is reported in EHC	No data available	No data available
toxicity(repeated exposure)	(1998), DFGOT vol. 22	NU UALA AVAIIADIE	
toxicity(repeated exposure)	(2006) that repeated oral		
	exposure to copper in		
	humans caused digestive		
	symptoms (nausea,		
	vomiting, abdominal pain,		
	etc.) and liver disorder		
	(hepatic failure, cirrhosis).		
	Because digestive		
	5		
	symptoms are nausea, vomiting, abdominal pain,		
	etc., they cannot be		
	regarded as specific		
	e ,		
	target organ toxicity.		
	Furthermore, hepatic		
	failure is reported in only one case, therefore it was		
	,		
	judged impossible to generalize it. From the		
	above, it was classified as		
	"Classification not		
	possible."		
	possible.		
Aspiration hazard	No data available	No data available	No data available
Other information	No data available		

SECTION 12 Ecological information

<u>Cu</u>

<u>Fe</u>

<u>Fluoroalkylether</u>

Hazardous to the aquatic environment Short- term(acute)	No data available	No data available	No data available
Hazardous to the aquatic environment Long- term(chronic)	No data available	No data available	No data available
Persistence and degradablility	No data available	No data available	No data available
Bioaccumulative potential	No data available	No data available	No data available
Mobility in soil	No data available	No data available	No data available
Hazard to the ozone layer	This substance is not listed in Annexes to the Montreal Protocol.	No data available	No data available
Other adverse effects	No data available	No data available	No data available

SECTION 13 Disposal considerations

CANON OPTRON INC.		
SDS Number:	ES26	
Product Name:	SURFCLEAR	300

rev. 7.2 Date of Issue 2020/6/18 Revised Date 2022/10/3

Waste treatment methods	Process is contracted to industrial waste disposers who received approval of a prefectural governor. The container is recycled after being cleaned, or is appropriately processed according to the standards of related laws and regulations. When disposing of empty containers, the contents should be completely removed.		
Contaminated container and contaminated packaging			
ECTION 14 Transport information			
	<u>Cu</u>	<u>Fe</u>	<u>Fluoroalkylether</u>
International regulation			
UN number	Not applicable	Not applicable	Not applicable
UN proper shipping name	Not applicable	Not applicable	Not applicable
UN classification	Not applicable	Not applicable	Not applicable
Transport hazard class	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable
Hazardous to the aquatic environment	No data available	No data available	No data available
Maritime transport in bulk according to IMO instruments	No data available	No data available	No data available
Japanese lows and regulations	Refer to "15. Regulatory information."	Refer to "15. Regulatory information."	No data available
Special precautions for users	When transporting, protect from direct sunlight and take on cargo without breakage of container, corrosion and leakage. Do not transport with food and feedstuffs. Do not stack heavy good thereupon.	No data available	No data available
Special Provisions	-	-	-

SECTION 15 Regulatoly information (Japan)

<u>Cu</u>

<u>Fe</u>

<u>Fluoroalkylether</u>

Occupational Safety and Health Law	There is it in the case of an application or an application	Not applicable	No data available
PRTR Law	Not applicable	Not applicable	No data available
Poisonous and Deleterious Substances control Law	Not applicable	Not applicable	No data available
Labor Standards Act	Not applicable	Not applicable	No data available
Chemical substances control Law	Not applicable	Not applicable	No data available

CANON OPTRON INC.		
SDS Number:	ES26	
Product Name:	SURFCLEAR	300

Fire fighting Law	Not applicable	There is it in the case of an application or an application	No data available
Air Pollution Control Act	There is it in the case of an application or an application	Not applicable	No data available
Water Pollution Prevention Act	There is it in the case of an application or an application	There is it in the case of an application or an application	No data available
Water Supply Act	There is it in the case of an application or an application	There is it in the case of an application or an application	No data available
Sewerage Act	There is it in the case of an application or an application	There is it in the case of an application or an application	No data available
Marine Pollution Prevention Law	Not applicable	Not applicable	No data available
Waste Management and Public Cleansing Act	Not applicable	Not applicable	No data available
Note	Ensure this material in con conformity to local regulat	I npliance with federal require ions.	ements and ensure

SECTION 16 Other information

The Safety Data Sheet (SDS) has been prepared based on currently available materials, information and data, and may be revised based on new information. Further, the important points in the SDS are made for the purpose of normal handling. When handling the user product in a specialized manner, take the appropriate safety measures for the application or method. Further, Canon Optron Inc. has paid sufficient attention to the described contents of the SDS, but does not guarantee the accuracy of its contents.

The SDS prepared by our company includes all findings from our investigation for reference. Not applicable to all items listed.

Literature Reference

[WEB site] National Institute of Technology and Evaluation Homepage Japan Advanced Information Center of Safety and Health Homepage Ministry of Health, Labour and Welfare Homepage [Regulatory review Tools] ezCRIC (Japan Chemical Database Ltd)