rev. 8.0 Date of Issue **Revised Date**

2013/10/16 2024/3/15

SECTIO	N 1 Chemicals and company ident	ification
	Product name	CeO2(A, C)
	Product code	EC03
	Company name	CANON OPTRON INC.
	Address	1744-1, Kanakubo, Yuki-shi, Ibaraki-ken, 307-0015 Japan
	Section name	Sales Department
	Telephone number	+81-296-21-3700
	Fax number	+81-296-21-3770
	Emergency telephone tumber	+81-296-21-3700
	Use	Vacuum deposition material

SECTION 2 Hazards identification

GHS Classification (A classification by JIS Z 7252 "classification methods such as chemical substances based on GHS")

	Classification not possible
Flammable gases	Not applicable
Aerosols	Not applicable
Oxidizing gases	Not applicable
Gas under pressure	Not applicable
Flammable liquids	Not applicable
Flammable solids	Classification not possible
Self-reactive substances and mixtures	Classification not possible
Pyrophoric liquids	Not applicable
Pyrophoric solids	Classification not possible
Self-heating substances and mixtures	Classification not possible
Substances and mixtures which,in contact with water,emit flammable gases	Classification not possible
Oxidizing liquids	Not applicable
Oxidizing solids	Classification not possible
Organic peroxides	Classification not possible
Corrosive to metals	Classification not possible
Desensitize explosives	Classification not possible
Acute toxicity(oral)	Not classified
Acute toxicity(dermal)	Not classified
Acute toxicity (Inhalation: Gases)	Not applicable
Acute toxicity (Inhalation: Vapors)	Classification not possible
Acute toxicity (Inhalation: Dusts and mists)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/eye irritation	Not classified
	Aerosols Oxidizing gases Gas under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures which,in contact with water,emit flammable gases Oxidizing liquids Oxidizing solids Organic peroxides Corrosive to metals Desensitize explosives Acute toxicity(oral) Acute toxicity(Inhalation: Gases) Acute toxicity (Inhalation: Vapors) Acute toxicity (Inhalation: Dusts and mists) Skin corrosion/irritation

Canon CANON OPTRON, INC.

rev. 8.0	Date of Issue	2013/10/16
	Revised Date	2024/3/15

	Respiratory sensitization	Classification not possible
	Skin sensitization	Classification not possible
	Germ cell mutagenicity	Not classified
	Carcinogenicity	Classification not possible
	Reproductive toxicity	Classification not possible
	Reproductive toxicity, effects on or via lactation	Classification not possible
	Specific target organ toxicity(single exposure)	Category 2
	Specific target organ toxicity(repeated exposure)	Category 1
	Aspiration hazard	Classification not possible
Environmental hazards	Hazardous to the aquatic environment Short-term(acute)	Classification not possible
	Hazardous to the aquatic environment Long-term(chronic)	Classification not possible
	Hazardous to the ozone layer	Classification not possible

Label elements

hazard Pictograms	Health Hazard
Signal word	Danger
Dangerous goods hazard information	May cause damage to organs Lungs. Causes damage to organs through prolonged or repeated exposure Lungs.
Precautionary statements	
【Safety measures】	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.
【First−aid measures】	If exposed or concerned:Call poison center or doctor/physician. Get medical advice/attention if you feel unwell. Specific treatment.
[Storage]	Store locked up.
【Disposal】	Dispose of contents/container in accordance with national regulations.
[Other hazards]	-

SECTION 3 Composition/information on ingredients

rev. 8.0

Date of Issue 2013/10/16 Revised Date

2024/3/15

	Substance/Mixture	Substance
	Chemical name	Cerium oxide
	Chemical formula	CeO2
	Concentration or concentration range	99.9%<
	CAS No.	1306-38-3
	TSCA Inventry	Cerium oxide (CeO2)
	EINECS number	215-150-4
	Radioactive information	Radioactive substances are not used as the material. Therefore, there is no reason that ionizing radiation would be generated.
SECTIO	N 4 First aid measures	
	Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
	Skin contact	Take off immediately all contaminated clothing. Rinse affected areas with water/shower. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: :Get medical advice/attention.
	Eye contact	Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rising. If eye irritation persists:Get medical advice/attention.
	Ingestion	Rinse mouth. Get medical advice/attention.
	Most important symptoms and effects, both acute and delayed	No data available
	Protection of first aiders	Rescuers, wear suitable protective equipment as the situation demands.
	Special precautions for physicians	No data available
SECTIO	N 5 Firefighting measures	
	Suitable extinguishing media	Water spray, foam fire extinguishing agent, powder fire extinguishing agent , carbon dioxide gas, dry sand such
	Unsuitable extinguishing media	No data available
	Specific hazards	Is a non-flammable, itself does not burn, but there is a risk which break down when heated, to generate fumes and toxic or corrosive $/$. Is likely to generate toxic gases irritating, corrosive and fire.
	Specific extinguishing methods	It move a container from the fire area if not dangerous. Eliminate all ignition sources if safe to do so.
	Special protective equipment for firefighters	It wear appropriate respiratory air, the protective clothing (heat resistance).
SECTIO	N 6 Accidental release measures	
	Personal precautions, protective equipment, and emergency procedures	Immediately, It isolate leakage area as the appropriate distance in all directions.
	Environmental precautions	It should not be released to the environment.

Canon OPTRON, INC.

CANON OPTRON INC. SDS Number: EC03 Product Name: CeO2(A, C)

SAFETY DATA SHEET

Revised Date 2024/3/15 Methods and material for Moisten with water to reduce dust in the air and prevent dispersion. containment and cleaning up Collection and neutralization: Sweep up leaked material and collect it in an empty container for later waste disposal. Secondary disaster prevention Was covered with a plastic sheet to prevent scattering. measures Handling and storage SECTION 7 Precautions for safe handling Technical measures Take measures for equipment as described in "8. Exposure controls/personal protection" and wear protective equipment. Safety handling precautions Do not inhale dust, fumes, vapors, spray. Avoidance of contact Refer to "10. Stability and reactivity." Hygiene measures Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Conditions for safe storage, including any incompatibilities Safe storage conditions Store locked up. No data available Safety packaging material

SECTION 8 Exposure controls/personal protection

Permissible concentration	
ACGIH	No data available
Appropriate engineering controls	The workshop handling or storage of this material, it is recommended that you install the appropriate safety shower and eye wash. In order to prevent the exposure, it is recommended that you install the appropriate general ventilation equipment, local exhaust ventilation in the
	workplace.
such as personal protective	workplace.
such as personal protective	Dustproof mask
such as personal protective equipment	
	Dustproof mask

SECTION 9 Physical and chemical properties

Appearance		
Physical state	Solid	
Form	Pellets, granules	
Colour	Pale yellow	
Odour	None	

rev. 8.0

Date of Issue

2013/10/16

rev. 8.0 Date of Issue 2013/10/16 Revised Date 2024/3/15

	<u>CeO2</u>
Melting point/freezing point	2480°C
Boiling point or initial boiling point and boiling range	3730°C
Flammability	No data available
Upper/lower flammability or explosive limits	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
рН	No data available
Kinematic viscosity	No data available
Solubility	
Water	Insoluble
Other solvents	And insoluble in solvents
Partition coefficient: n− octanol∕water	No data available
Vapour pressure	No data available
Density and/or relative density	7.21
(Density)	× 4.0 ~ 4.4 (pellet) as CeO2 (A, C)
Relative vapor density	No data available
Particle characteristics	No data available
Other information	No data available

SECTION 10 Stability and reactivity

<u>CeO2</u>

Reactivity	No data available
Chemical stability	It is considered stable.
Possibility of hazardous reactions	Do not react in the storage conditions and normal handling. It will generate NOx gas in the reaction of chlorine gas, and nitric acid reaction with hydrochloric acid.
Conditions to avoid	High-temperature and humidity
Incompatible materials	Carbon dioxide, acid
Hazardous decomposition products	Acid mist is generated upon dissolution of the acid.

SECTION 11 Toxicological information

<u>CeO2</u>

Acute toxicity(oral)

Rat LD50 value:> 5000 mg / kg bw (IUCLID (2000))

Canon CANON OPTRON, INC.

rev. 8.0 Revised Date

Date of Issue 2013/10/16 2024/3/15

Acute toxicity(dermal)	Based on the result that administration of 2000 mg/kg bw to rats caused no mortality, and LD50 value was $>$ 2000 mg/kg bw (IUCLID (2000)), the substance was classified as "Not classified".
Acute toxicity (Inhalation: Gases)	Solid (GHS definition)
Acute toxicity (Inhalation: Vapours)	No data available
Acute toxicity (Inhalation: Dusts and mists)	Based on the rat LC50 value of 5.05 mg/L (OECD TG 403) (IUCLID (2000)), the substance was classified as "Not classified" in the JIS classification (corresponding to Category 5 in the UN-GHS classification). According to the description that the test particles which was less than 3 micrometer in particle diameter were account for 85.4% (IUCLID (2000)), the criterion values for dust/mist were adopted.
Skin corrosion/irritation	In the rabbit test (OECD TG404), application of 0.5 g of test substance caused no irritation (IUCLID (2000)). In another rabbit test, the primary skin irritation index value was 0.0 and it was concluded that the substance was not irritating (IUCLID (2000)). Based on the information, the substance was classified as "Not classified".
Serious eye damage/irritation	In the rabbit test (OECD TG405), instillation of 0.1 g of test substance to eye resulted in non-irritating (IUCLID (2000)). In another rabbit test, slightly irritating was reported (IUCLID (2000)). Based on the information, the substance was classified as "Not classified".
Respiratory or skin sensitization	In the maximization test using guinea pigs (OECD TG406), no reaction of sensitization was observed after elicitation, and concluded as a non-sensitizer (IUCLID (2000)). However, since it was the "List 2" information source designated in the GHS classification guidance for the Japanese government, the substance was classified as "Classification not possible".
Germ cell mutagenicity	The substance was classified as "Classification not possible" due to the negative results in the micronucleus test (OECD TG474) using bone marrow cells of mice orally administered (in vivo mutagenicity test in somatic cells) (IUCLID (2000)). As relevant information, as for in vitro study, negative results in the Ames test were reported (Initial Environmental Risk Assessment of Chemicals (Ministry of the Environment), vol. 8 (2010)).
Carcinogenicity	No data were available. As relevant information, the US EPA reports that the data of this substance are insufficient to evaluate the possibility of carcinogenicity in humans under the carcinogenicity risk assessment guidelines (IRIS (2009) Tox Review).
Reproductive toxicity	No data available
Specific target organ toxicity(single exposure)	In the acute inhalation study in rats exposed to dust for 4 hours at the range of concentrations from 4.12 to 5.98 mg/L (OECD TG 433, GLP-compliant), labored respiration and ruffled fur were noted in two of ten animals, and the lungs of all animals were incompletely collapsed with diffuse whitish foci (IUCLID (2000)). Based on these findings observed in the concentration corresponding nearly to the upper limit within Category 2 of the guidance values, the substance was classified as Category 2 (lung). In addition, in the acute oral toxicity study in rats administered up to 5000 mg/kg bw, no mortality was recorded, body weight gain was normal, and no abnormalities were observed at necropsy (IUCLID (2000)).

Date of Issue 2013/10/16 rev. 8.0 Revised Date

2024/3/15

Specific target organ	In the lungs of the workers exposed for many years to the fumes of rare-earth
toxicity(repeated exposure)	elements such as cerium, accumulation of rare-earth elements was observed,
	and lung lesions such as granuloma, emphysema, or interstitial fibrosis and
	decrease of pulmonary breathing capacity were reported (Initial Environment Risl
	Assessment of Chemicals (Ministry of Environment), vol. 8 (2010)). Many reports
	were published describing long-term residue of rare earth elements in lung and
	numerous cases of workers who developed adverse lung effects associated with
	cerium oxide as follows. In the case of the 58-year-old worker who came to
	hospital complaining of dyspnea at least 15 years after exposures to cerium
	oxide polishing agents, slight pleural thickening, and pulmonary obstruction were
	noted. He was diagnosed by histopathological examination as chronic
	pachypleuritis (Initial Environment Risk Assessment of Chemicals (Ministry of
	Environment), vol. 8 (2010)). In the case of 68-year-old man who was engaged in
	the abrasive operation of the optical lens for 35 years, rare earth
	pneumoconiosis associated with cerium oxide exposure was identified after 13
	years of separation of work (PATTY, 5th (2001)). On the other hand, in the 13-
	week repeated inhalation study in rats exposed to dust, enlargement and
	discoloration of diaphragm in approximately half of the animals, changes of
	bronchial lymph nodes in all animals were found at 5 mg/m or higher, and
	discoloration of the lungs in all animals at 51 mg/m ${\rm or}$ higher at necropsy.
	Histopathologically, lymphoid hyperplasia and pigmentation in the bronchial lymph
	nodes, and pigmentation in the lung were noted at 5 mg/m or higher in both
	sexes, and alveolar epithelial hyperplasia in the lungs and metaplasia and
	pigmentation in the larynx were noted at 51 mg/m or higher in both sexes (Initia
	Environment Risk Assessment of Chemicals (Ministry of Environment), vol. 8
	(2010)). These effects were observed at doses within Category 1 of the guidance
	values. Based on the findings for both humans and experimental animals, the
	substance was classified as Category 1 (lung).
Aspiration hazard	No data available
Other information	No data available

SECTION 12 Ecological information

<u>CeO2</u>

Toxicity	
Hazardous to the aquatic environment Short- term(acute)	No data available
Hazardous to the aquatic environment Long- term(chronic)	No data available
Persistence and degradablility	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available This substance is not listed in Annexes to the Montreal Protocol.
Hazard to the ozone layer	
Other adverse effects	No data available
SECTION 13 Disposal considerations	
Waste treatment methods	Process is contracted to industrial waste disposers who received approval of a prefectural governor.
Contaminated container and contaminated packaging	The container is recycled after being cleaned, or is appropriately processed according to the standards of related laws and regulations.

When disposing of empty containers, the contents should be completely removed.

rev. 8.0	Date of Issue	2013/10/16
	Revised Date	2024/3/15

SECTION 14 Transport information

	<u>CeO2</u>
International regulation	
UN number	Not applicable
UN proper shipping name	Not applicable
UN classification	Not applicable
Transport hazard class	Not applicable
Packing group	Not applicable
Hazardous to the aquatic environment	No data available
Maritime transport in bulk according to IMO instruments	No data available
Japanese lows and regulations	No data available
Special precautions for users	Requires retention of yellow card when transporting. When transporting, protect from direct sunlight and take on cargo without breakage of container, corrosion and leakage. Do not transport with food and feedstuffs. Do not stack heavy good thereupon.
Special Provisions	-

SECTION 15 Regulatoly information (Japan)

<u>CeO2</u>

Occupational Safety and Health Law	No data available
PRTR Law	There is it in the case of an application or an application
Poisonous and Deleterious Substances control Law	No data available
Labor Standards Act	No data available
Chemical substances control Law	No data available
Fire fighting Law	No data available
Air Pollution Control Act	No data available
Water Pollution Prevention Act	No data available
Water Supply Act	No data available
Sewerage Act	No data available
Marine Pollution Prevention Law	No data available
Waste Management and Public Cleansing Act	No data available
Note	Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

rev. 8.0 Date of Issue 2013/10/16 Revised Date 2024/3/15

SECTION 16 Other information

The Safety Data Sheet (SDS) has been prepared based on currently available materials, information and data, and may be revised based on new information. Further, the important points in the SDS are made for the purpose of normal handling. When handling the user product in a specialized manner, take the appropriate safety measures for the application or method. Further, Canon Optron Inc. has paid sufficient attention to the described contents of the SDS, but does not guarantee the accuracy of its contents.

The SDS prepared by our company includes all findings from our investigation for reference. Not applicable to all items listed.

Literature Reference

[WEB site]

National Institute of Technology and Evaluation Homepage Japan Advanced Information Center of Safety and Health Homepage Ministry of Health, Labour and Welfare Homepage [Regulatory review Tools] ezCRIC+ (Japan Chemical Database Ltd)