SDS Number: EO17 Product Name: OF-SR

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2013/5/17

2024/3/15 Revised Date

SECTION 1 Chemicals and company identification

> OF-SR Product name

Product code EO17

CANON OPTRON INC. Company name

Address 1744-1, Kanakubo, Yuki-shi, Ibaraki-ken, 307-0015 Japan

Section name Sales Department Telephone number +81-296-21-3700

+81-296-21-3770 Fax number Emergency telephone tumber +81-296-21-3700

Use Vacuum deposition material

SECTION 2 Hazards identification

GHS Classification (A classification by JIS Z 7252 "classification methods such as chemical substances based on GHS")

Physical hazards **Explosives** Classification not possible

> Flammable gases Not applicable Aerosols Not applicable Oxidizing gases Not applicable Gas under pressure Not applicable Flammable liquids Not applicable

Flammable solids Classification not possible Self-reactive substances and mixtures Classification not possible

Pyrophoric liquids Not applicable

Pyrophoric solids Classification not possible Self-heating substances and mixtures Classification not possible Substances and mixtures which,in Classification not possible

contact with water, emit flammable

gases

Not applicable Oxidizing liquids

Oxidizing solids Classification not possible Organic peroxides Classification not possible Corrosive to metals Classification not possible Desensitize explosives Classification not possible Acute toxicity(oral) Classification not possible

Health hazards

Acute toxicity(dermal) Classification not possible

Acute toxicity (Inhalation: Gases) Not applicable

Acute toxicity (Inhalation: Vapors) Classification not possible

SDS Number: EO17 Product Name: OF-SR

SAFETY DATA SHEET

rev. 8.0

Date of Issue Revised Date

2013/5/17 2024/3/15

Acute toxicity (Inhalation: Dusts and

mists)

Classification not possible

Skin corrosion/irritation Classification not possible

Serious eye damage/eye irritation Classification not possible

Respiratory sensitization Classification not possible

Skin sensitization Category 1A

Germ cell mutagenicity Classification not possible Carcinogenicity Classification not possible

Reproductive toxicity Classification not possible

Reproductive toxicity, effects on or via

lactation

Classification not possible

Specific target organ toxicity(single

exposure)

Category 1

Specific target organ toxicity(repeated

exposure)

Classification not possible

Aspiration hazard

Classification not possible

Environmental hazards

Hazardous to the aquatic environment

Short-term(acute)

Classification not possible

Hazardous to the aquatic environment

Long-term(chronic)

Classification not possible

Classification not possible

Label elements

hazard Pictograms

Exclamation

Hazardous to the ozone layer

Health Hazard



Signal word

Danger

Dangerous goods hazard information

May cause an allergic skin reaction. May cause respiratory irritation.

Causes damage to organs Digestive organs.

SDS Number: E017
Product Name: OF—SR

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2013/5/17

Revised Date 2024/3/15

Precautionary statements

 $\begin{tabular}{ll} {\tt Safety\ measures.} \\ {\tt Do\ not\ breathe\ dust/fume/gas/mist/vapours/spray.} \\ \end{tabular}$

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace. Wear Protective glovess/protective clothing/eye protection/face protection.

[First-aid measures] IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If exposed or concerned: Call a poison center or doctor/physician.

Call poison center or doctor/physician if you feel unwell.

Specific treatment.

If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

[Storage] Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

[Disposal] Dispose of contents/container in accordance with national regulations.

[Other hazards] -

SECTION 3 Composition/information on ingredients

Substance/Mixture Mixture

Chemical name Copper Iron Perfluoropolyether compound

Cu Fe Perfluoropolyether compound

Concentration or concentration

range

Cu: 77.1-79.6% Fe:19.3-19.9%

Perfluoropolyether compound: 0.5-3.6%

Total = 100%

CAS No.

TSCA Inventry

Chemical formula

EINECS number

Radioactive information

 7440-50-8
 7439-89-6
 Confidential-1

 Copper
 Iron
 No data available

 231-159-6
 231-096-4
 No data available

Radioactive substances are not used as the material. Therefore, there is no

reason that ionizing radiation would be generated.

SECTION 4 First aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing.

Get medical advice/attention if you feel unwell.

SDS Number: E017
Product Name: OF-SR

SAFETY DATA SHEET

rev. 8.0

Date of Issue 2013/5/17

Revised Date

2024/3/15

Skin contact Take off immediately all contaminated clothing. Rinse affected areas with

water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: : Get medical advice/attention.

Eye contact Rinse cautiously with water for several minutes.Remove contact lenses, if

present and easy to do. Continue rising.

If eye irritation persists: Get medical advice/attention.

Ingestion Rinse mouth.

Get medical advice/attention.

Most important symptoms and effects, both acute and delayed

No data available

Protection of first aiders Rescuers, wear suitable protective equipment as the situation demands.

Special precautions for physicians No data available

SECTION 5 Firefighting measures

Suitable extinguishing media This product itself is not flammable.

Unsuitable extinguishing media No data available

Specific hazards No data available

Specific extinguishing methods
In the case of a fire in the periphery, the portable container is quickly moved to a

safe place.

Special protective equipment for

firefighters

Wear suitable protective equipment (gloves, glasses and a mask) in fire-fighting.

SECTION 6 Accidental release measures

Personal precautions, protective equipment, and emergency

procedures

Protection equipment (specified as those in which the properties of the product are suitable) worn during operation so that airborne droplets, etc., do not adhere

to the skin and dusts and gases are not absorbed.

Environmental precautions The leakage may not directly flow into rivers or sewage.

Methods and material for containment and cleaning up

The leaked material is scooped up, or swept up and gathered to be recovered in

a paper bag or a drum.

After recovery, a small amount of the residue is absorbed in sediment, sawdust,

etc.

Secondary disaster prevention

measures

No data available

SECTION 7 Handling and storage

Precautions for safe handling

Technical measures Take measures for equipment as described in "8. Exposure controls/personal

protection" and wear protective equipment.



SDS Number: E017
Product Name: OF—SR

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2013/5/17

Revised Date 2024/3/15

Safety handling precautions Handling work must be practiced in a room where there is a local or total

ventilation facility.

Avoidance of contact Refer to "10. Stability and reactivity."

Hygiene measures Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Safe storage conditions Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Safety packaging material No data available

SECTION 8 Exposure controls/personal protection

<u>Cu</u> <u>Fe</u> <u>Perfluoropolyether</u> compound

Permissible concentration

ACGIH TWA 0.2 mg/m³ (Hume),

TWA 1 mg/m³ (dust, mist)

(2013 Edition)

No data available

TWA 200ppm (methanol decomposition products:)

STEL 250ppm (methanol decomposition products:)

(2012 edition)

Appropriate engineering controls Use sealed devices, equipment, or a local exhaust ventilation as much as

possible.

Individual protection measures, such as personal protective

equipment

Hand protection Protective gloves

Skin protection Protective clothing

SECTION 9 Physical and chemical properties

Appearance

Physical state Solid

Form Cup, fibrous

Colour Red copper color and dark gray

Odour None

<u>Cu</u> <u>Fe</u> <u>Perfluoropolyether</u>

<u>compound</u>

Melting point/freezing point 1083°C 1535°C Not applicable

Canon OPTRON, INC.

SDS Number: EO17 Product Name: OF-SR

SAFETY DATA SHEET

rev. 8.0 Revised Date

Date of Issue 2013/5/17 2024/3/15

Boiling point or initial boiling point and boiling range

Flammability

Upper/lower flammability or explosive limits

Flash point

Auto-ignition temperature

Decomposition temperature

Kinematic viscosity

Solubility

Water

Other solvents

Partition coefficient: noctanol/water

Vapour pressure

Density and/or relative density

(Density)

Relative vapor density

Particle characteristics

Other information

2595°C	2730°C	Not applicable
No data available	No data available	No data available
No data available	No data available	No data available
No data available	No data available	No data available
No data available	No data available	No data available
No data available	No data available	No data available
No data available	No data available	No data available
No data available	No data available	No data available

Insoluble	Insoluble	Sparingly soluble
It gradually dissolve in an ammonium solution. : HSDB(2013)	No data available	No data available
No data available	No data available	No data available
1 mm Hg at 1628°C: HSDB(2013)	No data available	Fine (25 °C)
8.94g/cm³: HSDB(2013)	7.86	1.71 (25°C)

No data available	No data available	No data available
No data available	No data available	No data available
No data available	No data available	No data available

SECTION 10 Stability and reactivity

> <u>Fe</u> Perfluoropolyether <u>Cu</u> compound

> > No data available

Reactivity

Turns green upon exposure to humid air. Compounds sensitive to shock are formed by acetylene compounds, ethylene oxides, and azides

> Slowly oxidizes in the No data available

No data available

Chemical stability

Turns green upon exposure to humid air. atmosphere. Compounds sensitive to shock are formed by acetylene compounds, ethylene oxides, and azides

Canon OPTRON, INC.

SDS Number: EO17
Product Name: OF—SR

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2013/5/17

Revised Date 2024/3/15

Possibility of hazardous reactions	Reacts with oxides (chlorates, bromates, and iodates, etc.), so there is a risk of explosion	Produces rust when in presence of humidity.	No data available
Conditions to avoid	Contact with humidity and hazardous reactive materials.	High temperature, humidity, and flame	No data available
Incompatible materials	Acetylene compounds, ethylene oxides, azides, and oxidants (chlorate, bromate, iodate, etc)	Strong acids and ammonia	No data available
Hazardous decomposition products	Carbon monoxide, carbon dioxide, and copper fumes produced by combustion.	No data available	No data available

SECTION 11 Toxicological information

	<u>Cu</u>	<u>Fe</u>	Perfluoropolyether compound
Acute toxicity(oral)	No data available	Oral administration in rat: LD50: 30 g/kg, Intraperitoneal administration in rat: LDLo: 20 mg/kg Oral administration in guinea pig: LD50: 20 mg/kg	LD50: 5628mg/kg (rat) (methanol decomposition products:)
Acute toxicity(dermal)	No data available	No data available	No data available
Acute toxicity (Inhalation: Gases)	Solid (GHS definition)	No data available	LC50: 6400ppm/4Hr (rat) (methanol decomposition products:)
Acute toxicity (Inhalation: Vapours)	Solid (GHS definition)	No data available	No data available
Acute toxicity (Inhalation: Dusts and mists)	No data available	No data available	No data available
Skin corrosion/irritation	Classification not possible due to lack of data. Besides, it is described in PATTY (6th, 2012) that contact dermatitis associated with copper has been reported, but few cases of dermatitis caused by copper metal or its compounds occur in the industry.	No data available	Skin irritation: 20mg/24Hr in irritation (rabbit) (methanol decomposition products:)

SDS Number: EO17
Product Name: OF—SR

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2013/5/17

Revised Date 2024/3/15

Serious eye damage/irritation	No data available	No data available	Eye irritation: 100mg/24Hr in irritation (rabbit) (methanol decomposition products:)
Respiratory or skin sensitization	It was classified in Category 1A because the Japan Society for Occupational Health (JSOH) classified copper and its compounds as occupational skin sensitizers Group 2 (Recommendation of Occupational Exposure Limits (Japan Society For Occupational Health (JSOH), 2012)), and it applies to this substance (OEL Documentations (Sensitization classification) (Japan Society For Occupational Health (JSOH, May 26, 2010))).	No data available	No data available
Germ cell mutagenicity	No data available	No data available	No data available
Carcinogenicity	It was classified as "Classification not possible" because the U.S. EPA classified it in I (IRIS (2005)). The category was revised according to the revised GHS classification guidance for the Japanese government.	No data available	No data available
Reproductive toxicity	No data available	No data available	No data available

SDS Number: E017
Product Name: OF—SR

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2013/5/17

Revised Date 2024/3/15

Specific target organ toxicity(single From the knowledge in exposure) From the knowledge in humans in EHC (1998),

No data available No data available humans in EHC (1998), ACGIH (7th, 2001), and ATSDR (2004), respiratory symptoms (respiratory tract irritation) are the main acute toxic signs in the inhalation route. As for oral exposure, it is described that digestive symptoms (nausea, vomiting, abdominal pain, etc.) were observed after the ingestion of drinkingwater and others containing high copper concentrations, and there are numerous reports that nausea and vomiting mainly occurred. Other than these, it is reported in EHC that inhalation exposure caused hepatomegaly, but the air levels were very high, and it is described in ATSDR that liver lesions from acute copper poisoning are rare except for specific diseases (Wilson's disease, etc.). Therefore, the liver was not included in the target organs, and it was classified in Category 1 (digestive system), Category 3 (respiratory tract irritation).

SDS Number: E017
Product Name: OF—SR

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2013/5/17

Revised Date 2024/3/15

Specific target organ toxicity(repeated exposure)

It is reported in EHC No data available There can cause (1998), DFGOT vol. 22 conjunctivitis, headache, (2006) that repeated oral dizziness, insomnia, gastrointestinal disorders. exposure to copper in humans caused digestive blurred vision (methanol symptoms (nausea, decomposition products:) vomiting, abdominal pain, etc.) and liver disorder (hepatic failure, cirrhosis). Because digestive symptoms are nausea, vomiting, abdominal pain, etc., they cannot be regarded as specific target organ toxicity. Furthermore, hepatic failure is reported in only one case, therefore it was judged impossible to generalize it. From the above, it was classified as Classification not possible. No data available No data available No data available

Aspiration hazard

Other information

The fluorine resin, which is an active ingredient, there may be generated toxic gas containing hydrogen fluoride is thermally decomposed slowly at high temperatures.

SECTION 12 Ecological information

CuFePerfluoropolyethercompound

Toxicity

Hazardous to the aquatic environment Short-term(acute)

Hazardous to the aquatic environment Long-term(chronic)

Persistence and degradablility

Bioaccumulative potential

Mobility in soil

Hazard to the ozone layer

Other adverse effects

No data available	No data available	No data available
No data available	No data available	No data available
No data available	No data available	No data available
No data available	No data available No data available	No data available
This substance is not listed in Annexes to the Montreal Protocol.	No data available	No data available
No data available	No data available	No data available

SDS Number: E017
Product Name: OF-SR

SAFETY DATA SHEET

rev. 8.0 Date of Issue

2013/5/17

Revised Date

2024/3/15

SECTION 13 Disposal considerations

Waste treatment methods

Process is contracted to industrial waste disposers who received approval of a

prefectural governor.

Contaminated container and contaminated packaging

The container is recycled after being cleaned, or is appropriately processed

according to the standards of related laws and regulations.

When disposing of empty containers, the contents should be completely removed.

SECTION 14 Transport information

<u>Cu</u> <u>Fe</u> <u>Perfluoropolyether</u> compound

International regulation

UN number

UN proper shipping name

UN classification

Transport hazard class

Packing group

Hazardous to the aquatic environment

Maritime transport in bulk according to IMO instruments

Japanese lows and regulations

Special precautions for users

Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
No data available	No data available	No data available
No data available	No data available	No data available
Refer to "15. Regulatory information."	Refer to "15. Regulatory information."	No data available
When transporting, protect from direct sunlight and take on cargo without breakage of container, corrosion and leakage. Do not transport with food and feedstuffs. Do not stack heavy good thereupon.		No data available
_	_	_

SECTION 15 Regulatoly information (Japan)

Special Provisions

<u>Cu</u> <u>Fe</u> <u>Perfluoropolyether</u> <u>compound</u>

Occupational Safety and Health Law

PRTR Law

Poisonous and Deleterious Substances control Law

There is it in the case of an application or an application

Not applicable



SDS Number: E017
Product Name: OF—SR

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2013/5/17

Revised Date 2024/3/15

Labor Standards Act	There is it in the case of an application or an application	There is it in the case of an application or an application	No data available
Chemical substances control Law	Not applicable	Not applicable	No data available
Fire fighting Law	Not applicable	There is it in the case of an application or an application	No data available
Air Pollution Control Act	There is it in the case of an application or an application	Not applicable	No data available
Water Pollution Prevention Act	There is it in the case of an application or an application	There is it in the case of an application or an application	No data available
Water Supply Act	There is it in the case of an application or an application	There is it in the case of an application or an application	No data available
Sewerage Act	There is it in the case of an application or an application	Not applicable	No data available
Marine Pollution Prevention Law	Not applicable	Not applicable	No data available
Waste Management and Public Cleansing Act	Not applicable	Not applicable	No data available
Note	Ensure this material in compliance with federal requirements and ensure		

SECTION 16 Other information

The Safety Data Sheet (SDS) has been prepared based on currently available materials, information and data, and may be revised based on new information. Further, the important points in the SDS are made for the purpose of normal handling. When handling the user product in a specialized manner, take the appropriate safety measures for the application or method. Further, Canon Optron Inc. has paid sufficient attention to the described contents of the SDS, but does not guarantee the accuracy of its contents.

conformity to local regulations.

The SDS prepared by our company includes all findings from our investigation for reference. Not applicable to all items listed.

Literature Reference

[WEB site]
National Institute of Technology and Evaluation Homepage
Japan Advanced Information Center of Safety and Health Homepage
Ministry of Health, Labour and Welfare Homepage
[Regulatory review Tools]
ezCRIC+ (Japan Chemical Database Ltd)

