SECTION 1 Chemicals and company identif		ification
Proc	duct name	SURFCLEAR 300
Proc	duct code	ES26
Com	npany name	CANON OPTRON INC.
Add	ress	1744-1, Kanakubo, Yuki-shi, Ibaraki-ken, 307-0015 Japan
Sec	tion name	Sales Department
Tele	phone number	+81-296-21-3700
Fax	number	+81-296-21-3770
Eme	ergency telephone tumber	+81-296-21-3700
Use		Vacuum deposition material

SECTION 2 Hazards identification

GHS Classification (A classification by JIS Z 7252 "classification methods such as chemical substances based on GHS")

	-	
Physical hazards	Explosives	Classification not possible
	Flammable gases	Not applicable
	Aerosols	Not applicable
	Oxidizing gases	Not applicable
	Gas under pressure	Not applicable
	Flammable liquids	Not applicable
	Flammable solids	Classification not possible
	Self-reactive substances and mixtures	Classification not possible
	Pyrophoric liquids	Not applicable
	Pyrophoric solids	Classification not possible
	Self-heating substances and mixtures	Classification not possible
	Substances and mixtures which,in contact with water,emit flammable gases	Classification not possible
	Oxidizing liquids	Not applicable
	Oxidizing solids	Classification not possible
	Organic peroxides	Classification not possible
	Corrosive to metals	Classification not possible
	Desensitize explosives	Classification not possible
Health hazards	Acute toxicity(oral)	Classification not possible
	Acute toxicity(dermal)	Classification not possible
	Acute toxicity (Inhalation: Gases)	Not applicable
	Acute toxicity (Inhalation: Vapors)	Classification not possible

CANON OPTRON INC. SDS Number: ES26 Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2020/6/17 Revised Date 2024/3/15

	Acute toxicity (Inhalation: Dusts and mists)	Classification not possible
	Skin corrosion/irritation	Classification not possible
	Serious eye damage/eye irritation	Classification not possible
	Respiratory sensitization	Classification not possible
	Skin sensitization	Category 1A
	Germ cell mutagenicity	Classification not possible
	Carcinogenicity	Classification not possible
	Reproductive toxicity	Classification not possible
	Reproductive toxicity, effects on or via lactation	Classification not possible
	Specific target organ toxicity(single exposure)	Category 1
	Specific target organ toxicity(repeated exposure)	Classification not possible
	Aspiration hazard	Classification not possible
Environmental hazards	Hazardous to the aquatic environment Short-term(acute)	Classification not possible
	Hazardous to the aquatic environment Long-term(chronic)	Classification not possible
	Hazardous to the ozone layer	Classification not possible

Label elements

hazard Pictograms

Exclamation Health Hazard

Signal word

Dangerous goods hazard information

May cause an allergic skin reaction. May cause respiratory irritation. Causes damage to organs Digestive organs.

Danger

Precautionary statements

CANON OPTRON INC. SDS Number: ES26 Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2020/6/17 Revised Date 2024/3/15

【Safe	ety measures】	Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear Protective glovess/protective clothing/eye protection/face protection.
(First	t−aid measures】	IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Call a poison center or doctor/physician. Call poison center or doctor/physician if you feel unwell. Specific treatment. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
[Stor	rage】	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
[Disp	oosal】	Dispose of contents/container in accordance with national regulations.
【Oth	er hazards】	-

SECTION 3 Composition/information on ingredients

Substance/Mixture	Mixture				
Chemical name	Copper	Iron	Fluoroalkylether		
Chemical formula	Cu	Fe	Fluoroalkylether		
Concentration or concentration range	Cu: 77.1-79.6% Fe :19.3-19.9% Fluoroalkylether: (Total = 100%	0.5-3.6%			
CAS No.	7440-50-8	7439-89-6	Confidential-15		
TSCA Inventry	Copper	Iron	No data available		
EINECS number	231-159-6	231-096-4	No data available		
Radioactive information	Radioactive substances are not used as the material. Therefore, there is no reason that ionizing radiation would be generated.				
SECTION 4 First aid measures					
Inhalation	•	fresh air and keep comforta ⁄attention if you feel unwell	-		
Skin contact	water∕shower. IF ON SKIN∶Wash v	ly all contaminated clothing with plenty of soap and wate rash occurs: :Get medical a	er.		
Eye contact	present and easy to	th water for several minute o do. Continue rising. sists : Get medical advice/at	s.Remove contact lenses, if ttention.		

			rev. 8.0	Date of Issue Revised Date	2020/6/1 2024/3/1
Ing	gestion	Rinse mouth. Get medical advice/attention.			
	ost important symptoms and fects, both acute and delayed	No data available			
Pr	otection of first aiders	Rescuers, wear suitable protective equipment as	s the situat	ion demands.	
Sp	pecial precautions for physicians	No data available			
SECTION 5	Firefighting measures				
Su	itable extinguishing media	This product itself is not flammable.			
Ur	nsuitable extinguishing media	No data available			
Sp	pecific hazards	No data available			
Sp	pecific extinguishing methods	In the case of a fire in the periphery, the portabl safe place.	le container	r is quickly moved	d to a
•	pecial protective equipment for efighters	Wear suitable protective equipment (gloves, glas	ses and a r	nask) in fire-fight	ing.
eq pr	ersonal precautions, protective uipment, and emergency ocedures	Protection equipment (specified as those in which are suitable) worn during operation so that airbo to the skin and dusts and gases are not absorbe	rne droplet d.	•	
	vironmental precautions	The leakage may not directly flow into rivers or	-		
	ethods and material for ntainment and cleaning up	The leaked material is scooped up, or swept up a a paper bag or a drum. After recovery, a small amount of the residue is etc.			
	econdary disaster prevention easures	No data			
SECTION 7	Handling and storage				
Pr	ecautions for safe handling				
	Technical measures	Take measures for equipment as described in "8 protection" and wear protective equipment.	3. Exposure	controls/person	al
	Safety handling precautions	Handling work must be practiced in a room wher ventilation facility.	e there is a	a local or total	
	Avoidance of contact	Refer to "10. Stability and reactivity."			
	Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this prod	uct.		
	onditions for safe storage, cluding any incompatibilities				

				0.0	Revised Date	2024/3/15
	Safe storage conditions	Store in a well-ventilated Store locked up.	place. Keep container tig	htly close	ed.	
	Safety packaging material	No data available				
SECTIO	N 8 Exposure controls/personal p	protection				
		<u>Cu</u>	Fe	<u>Fluor</u>	<u>roalkylether</u>	
	Permissible concentration					
	ACGIH	TWA 0.2 mg/mឺ (Hume), TWA 1 mg/mੈ (dust, mist) (2013 Edition)	No data available	No d	ata available	
	Appropriate engineering controls	Use sealed devices, equip possible.	ment, or a local exhaust	ventilatio	n as much as	
	Individual protection measures, such as personal protective equipment					
	Respiratory protection	Dustproof mask				
	Hand protection	Protective gloves				
	Eye/face protection	Dust-proof glasses				
	Skin protection	Protective clothing				

SECTION 9 Physical and chemical properties

Appearance

Physical state	Solid
Form	Cup or fibrous form
Colour	Copper and dark grey
Odour	None

<u>Cu</u>

<u>Fe</u>

<u>Fluoroalkylether</u>

rev. 8.0

Date of Issue 2020/6/17

Melting point/freezing point	1083°C	1535°C	No data available
Boiling point or initial boiling point and boiling range	2595°C	2730°C	168.8 F(76 °C) (Fluoroalkylether)
Flammability	No data available	No data available	No data available
Upper/lower flammability or explosive limits	No data available	No data available	LEL:210g/m [°] (Fluoroalkylether) UEL:1070g/m [°] (Fluoroalkylether)
Flash point	No data available	No data available	Not applicable
Auto-ignition temperature	No data available	No data available	No data available

rev. 8.0 Date of Issue 2020/6/17 Revised Date 2024/3/15

Decomposition temperature	No data available	No data available	No data available
рH	No data available	No data available	Immeasurable
Kinematic viscosity	No data available	No data available	1 mm2/s(25 °C)
Solubility			
Water	Insoluble	Insoluble	Insoluble
Other solvents	It gradually dissolve in an ammonium solution. : HSDB(2013)	No data available	No data available
Partition coefficient: n- octanol/water	No data available	No data available	Not applicable
Vapour pressure	1 mm Hg at 1628°C : HSDB(2013)	No data available	14kPa(Fluoroalkylether)
Density and/or relative density	8.94g/cm ³ :HSDB(2013)	7.86	1.47(25°C)
(Density)			
Relative vapor density	No data available	No data available	9.1 (Fluoroalkylether)
Particle characteristics	No data available	No data available	No data available
Other information	No data available	No data available	No data available

SECTION 10 Stability and reactivity

	<u>Cu</u>	<u>Fe</u>	Fluoroalkylether
Reactivity	Turns green upon exposure to humid air. Compounds sensitive to shock are formed by acetylene compounds, ethylene oxides, and azides	No data available	No hazardous reaction known under normal condition of use,storage and transport.
Chemical stability	Turns green upon exposure to humid air. Compounds sensitive to shock are formed by acetylene compounds, ethylene oxides, and azides	Slowly oxidizes in the atmosphere.	Stable at normal conditions
Possibility of hazardous reactions	Reacts with oxides (chlorates, bromates, and iodates, etc.), so there is a risk of explosion	Produces rust when in presence of humidity.	Hazardous polymerization does not occur
Conditions to avoid	Contact with humidity and hazardous reactive materials.	High temperature, humidity, and flame	No data available

CANON OPTRON INC.		
SDS Number:	ES26	
Product Name:	SURFCLEAR	300

rev. 8.0 Date of Issue 2020/6/17 Revised Date 2024/3/15

Incompatible materials	Acetylene compounds, ethylene oxides, azides, and oxidants (chlorate, bromate, iodate, etc)	Strong acids and ammonia	Strong oxidants, water, acids, and alkalines
Hazardous decomposition products	Carbon monoxide, carbon dioxide, and copper fumes produced by combustion.	No data available	Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product. hazardous decomposition gases including hydrogen fluoride, carbonyl difluoride, carbon monoxide, low molecular weight fluorocarbons, silicon dioxide.

SECTION 11 Toxicological information

	<u>Cu</u>	<u>Fe</u>	<u>Fluoroalkylether</u>
Acute toxicity(oral)	No data available	Oral administration in rat: LD50: 30 g/kg, Intraperitoneal administration in rat: LDLo: 20 mg/kg Oral administration in guinea pig: LD50: 20 mg/kg	No data available
Acute toxicity(dermal)	No data available	No data available	No data available
Acute toxicity (Inhalation: Gases)	Solid (GHS definition)	No data available	No data available
Acute toxicity (Inhalation: Vapours)	Solid (GHS definition)	No data available	No data available
Acute toxicity(Inhalation: Dusts and mists)	No data available	No data available	No data available

8 / 12 Page

CANON OPTRON INC.	
SDS Number:	ES26
Product Name:	SURFCLEAR 300

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2020/6/17 Revised Date 2024/3/15

Skin corrosion/irritation	Classification not possible due to lack of data. Besides, it is described in PATTY (6th, 2012) that contact dermatitis associated with copper has been reported, but few cases of dermatitis caused by copper metal or its compounds occur in the industry.		No data available
Serious eye damage/irritation	No data available	No data available	No data available
Respiratory or skin sensitization	It was classified in Category 1A because the Japan Society for Occupational Health (JSOH) classified copper and its compounds as occupational skin sensitizers Group 2 (Recommendation of Occupational Exposure Limits (Japan Society For Occupational Health (JSOH), 2012)), and it applies to this substance (OEL Documentations (Sensitization classification) (Japan Society For Occupational Health (JSOH, May 26, 2010))).	No data available	No data available
Germ cell mutagenicity	No data available	No data available	No data available
Carcinogenicity	It was classified as "Classification not possible" because the U.S. EPA classified it in I (IRIS (2005)). The category was revised according to the revised GHS classification guidance for the Japanese government.	No data available	No data available
Reproductive toxicity	No data available	No data available	No data available

rev. 8.0 Date of Issue 2020/6/17 Revised Date 2024/3/15

Specific target organ toxicity(single		No data available	No data available
exposure)	humans in EHC (1998),		
	ACGIH (7th, 2001), and		
	ATSDR (2004), respiratory		
	symptoms (respiratory		
	tract irritation) are the		
	main acute toxic signs in		
	the inhalation route. As		
	for oral exposure, it is		
	described that digestive		
	symptoms (nausea,		
	vomiting, abdominal pain,		
	etc.) were observed after		
	the ingestion of drinking-		
	water and others		
	containing high copper		
	concentrations, and there		
	are numerous reports that		
	nausea and vomiting		
	mainly occurred. Other		
	than these, it is reported		
	in EHC that inhalation		
	exposure caused		
	hepatomegaly, but the air		
	levels were very high, and		
	it is described in ATSDR		
	that liver lesions from		
	acute copper poisoning		
	are rare except for		
	specific diseases (Wilson's		
	disease, etc.). Therefore,		
	the liver was not included		
	in the target organs, and it		
	was classified in Category		
	1 (digestive system),		
	Category 3 (respiratory		
	tract irritation).		

10 / 12 Page

CANON OPTRON INC.	
SDS Number:	ES26
Product Name:	SURFCLEAR 300

SAFETY DATA SHEET

rev. 8.0 Date of Issue 2020/6/17 Revised Date 2024/3/15

Specific target organ	It is reported in EHC	No data available	No data available
toxicity(repeated exposure)	(1998), DFGOT vol. 22		
	(2006) that repeated oral		
	exposure to copper in		
	humans caused digestive		
	symptoms (nausea,		
	vomiting, abdominal pain,		
	etc.) and liver disorder		
	(hepatic failure, cirrhosis).		
	Because digestive		
	symptoms are nausea,		
	vomiting, abdominal pain,		
	etc., they cannot be		
	regarded as specific		
	target organ toxicity.		
	Furthermore, hepatic		
	failure is reported in only		
	one case, therefore it was		
	judged impossible to		
	generalize it. From the		
	above, it was classified as		
	"Classification not		
	possible.″		
Aspiration hazard	No data available	No data available	No data available
Other information	No data available		

SECTION 12 Ecological information

<u>Cu</u>

Fe

<u>Fluoroalkylether</u>

Hazardous to the aquatic environment Short- term(acute)	No data available	No data available	No data available
Hazardous to the aquatic environment Long- term(chronic)	No data available	No data available	No data available
Persistence and degradablility	No data available	No data available	No data available
Bioaccumulative potential	No data available	No data available	No data available
Mobility in soil	No data available	No data available	No data available
Hazard to the ozone layer	This substance is not listed in Annexes to the Montreal Protocol.	No data available	No data available
Other adverse effects	No data available	No data available	No data available

SECTION 13 Disposal considerations

CANON OPTRON INC.	
SDS Number:	ES26
Product Name:	SURFCLEAR 300

rev. 8.0	Date of Issue	2020/6/17
	Revised Date	2024/3/15

Waste treatment methods	Process is contracted to industrial waste disposers who received approval of a prefectural governor.		
Contaminated container and contaminated packaging	The container is recycled after being cleaned, or is appropriately processed according to the standards of related laws and regulations. When disposing of empty containers, the contents should be completely remove		
ECTION 14 Transport information			
	Cu	Fe	Fluoroalkylether
International regulation			
UN number	Not applicable	Not applicable	Not applicable
UN proper shipping name	Not applicable	Not applicable	Not applicable
UN classification	Not applicable	Not applicable	Not applicable
Transport hazard class	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable
Hazardous to the aquatic environment	No data available	No data available	No data available
Maritime transport in bulk according to IMO instruments	No data available	No data available	No data available
Japanese lows and regulations	Refer to "15. Regulatory information."	Refer to "15. Regulatory information."	No data available
Special precautions for users	When transporting, protect from direct sunlight and take on cargo without breakage of container, corrosion and leakage. Do not transport with food and feedstuffs. Do not stack heavy good thereupon.	No data available	No data available
Special Provisions	-	-	-

SECTION 15 Regulatoly information (Japan)

<u>Cu</u>

<u>Fe</u>

<u>Fluoroalkylether</u>

Occupational Safety and Health Law	There is it in the case of an application or an application	There is it in the case of an application or an application	No data available
PRTR Law	Not applicable	Not applicable	No data available
Poisonous and Deleterious Substances control Law	Not applicable	Not applicable	No data available
Labor Standards Act	There is it in the case of an application or an application	There is it in the case of an application or an application	No data available

Chemical substances control Law	Not applicable	Not applicable	No data available
Fire fighting Law	Not applicable	There is it in the case of an application or an application	No data available
Air Pollution Control Act	There is it in the case of an application or an application	Not applicable	No data available
Water Pollution Prevention Act	There is it in the case of an application or an application	There is it in the case of an application or an application	No data available
Water Supply Act	There is it in the case of an application or an application	There is it in the case of an application or an application	No data available
Sewerage Act	There is it in the case of an application or an application	Not applicable	No data available
Marine Pollution Prevention Law	Not applicable	Not applicable	No data available
Waste Management and Public Cleansing Act	Not applicable	Not applicable	No data available
Note	Ensure this material in cor conformity to local regulat	 npliance with federal require ions.	ements and ensure

SECTION 16 Other information

The Safety Data Sheet (SDS) has been prepared based on currently available materials, information and data, and may be revised based on new information. Further, the important points in the SDS are made for the purpose of normal handling. When handling the user product in a specialized manner, take the appropriate safety measures for the application or method. Further, Canon Optron Inc. has paid sufficient attention to the described contents of the SDS, but does not guarantee the accuracy of its contents.

The SDS prepared by our company includes all findings from our investigation for reference. Not applicable to all items listed.

Literature Reference

[WEB site] National Institute of Technology and Evaluation Homepage Japan Advanced Information Center of Safety and Health Homepage Ministry of Health, Labour and Welfare Homepage [Regulatory review Tools] ezCRIC+ (Japan Chemical Database Ltd)