

CANON OPTRON INC.

SDS Number: ES26

Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18

Revised Date 2022/5/13

SECTION 1 Chemicals and company identification

Product name	SURFCLEAR 300
Product code	ES26
Company name	CANON OPTRON INC.
Address	1744-1, Kanakubo, Yuki-shi, Ibaraki-ken, 307-0015 Japan
Section name	Sales Department
Telephone number	+81-296-21-3700
Fax number	+81-296-21-3770
Emergency telephone number	+81-296-21-3700
Use	Vacuum deposition material

SECTION 2 Hazards identification

GHS Classification (A classification by JIS Z 7252 "classification methods such as chemical substances based on GHS")

Physical hazards	Explosives	Classification not possible
	Flammable gases	Not applicable
	Aerosols	Not applicable
	Oxidizing gases	Not applicable
	Gas under pressure	Not applicable
	Flammable liquids	Not applicable
	Flammable solids	Classification not possible
	Self-reactive substances and mixtures	Classification not possible
	Pyrophoric liquids	Not applicable
	Pyrophoric solids	Classification not possible
	Self-heating substances and mixtures	Classification not possible
	Substances and mixtures which, in contact with water, emit flammable gases	Classification not possible
	Oxidizing liquids	Not applicable
	Oxidizing solids	Classification not possible
	Organic peroxides	Classification not possible
	Corrosive to metals	Classification not possible
Health hazards	Desensitize explosives	Classification not possible
	Acute toxicity(oral)	Classification not possible
	Acute toxicity(dermal)	Classification not possible
	Acute toxicity (Inhalation: Gases)	Not applicable
	Acute toxicity (Inhalation: Vapors)	Classification not possible

CANON OPTRON INC.

SDS Number: ES26
 Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18
 Revised Date 2022/5/13

	Acute toxicity (Inhalation: Dusts and mists)	Classification not possible
	Skin corrosion/irritation	Classification not possible
	Serious eye damage/eye irritation	Classification not possible
	Respiratory sensitization	Classification not possible
	Skin sensitization	Category 1A
	Germ cell mutagenicity	Classification not possible
	Carcinogenicity	Classification not possible
	Reproductive toxicity	Classification not possible
	Reproductive toxicity, effects on or via lactation	Classification not possible
	Specific target organ toxicity(single exposure)	Category 1
	Specific target organ toxicity(repeated exposure)	Classification not possible
	Aspiration hazard	Classification not possible
Environmental hazards	Hazardous to the aquatic environment Short-term(acute)	Classification not possible
	Hazardous to the aquatic environment Long-term(chronic)	Classification not possible
	Hazardous to the ozone layer	Classification not possible

Label elements

hazard Pictograms



Signal word

Danger

Dangerous goods hazard information

May cause an allergic skin reaction.
 May cause respiratory irritation.
 Causes damage to organs Digestive organs.

Precautionary statements

CANON OPTRON INC.

SDS Number: ES26
Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18
Revised Date 2022/5/13

【Safety measures】	Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear Protective glovess/protective clothing/eye protection/face protection.
【First-aid measures】	IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Call a poison center or doctor/physician. Call poison center or doctor/physician if you feel unwell. Specific treatment. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
【Storage】	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
【Disposal】	Dispose of contents/container in accordance with national regulations.
【Other hazards】	-

SECTION 3 Composition/information on ingredients

Substance/Mixture	Mixture		
Chemical name	<i>Copper</i>	<i>Iron</i>	<i>Fluoroalkylether</i>
Chemical formula	<i>Cu</i>	<i>Fe</i>	<i>Fluoroalkylether</i>
Concentration or concentration range	99.9% or more is a mixture of copper, iron and Fluoroalkylether.		
CAS No.	7440-50-8	7439-89-6	Confidential-15
TSCA Inventory	<i>Copper</i>	<i>Iron</i>	<i>No data available</i>
EINECS number	<i>231-159-6</i>	<i>231-096-4</i>	<i>No data available</i>
Radioactive information	Radioactive substances are not used as the material. Therefore, there is no reason that ionizing radiation would be generated.		

SECTION 4 First aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse affected areas with water/shower. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: : Get medical advice/attention.
Eye contact	Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

CANON OPTRON INC.

SDS Number: ES26
 Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18
 Revised Date 2022/5/13

Ingestion	Rinse mouth. Get medical advice/attention.
Most important symptoms and effects, both acute and delayed	No data available
Protection of first aiders	Rescuers, wear suitable protective equipment as the situation demands.
Special precautions for physicians	No data available

SECTION 5 Firefighting measures

Suitable extinguishing media	This product itself is not flammable.
Unsuitable extinguishing media	No data available
Specific hazards	No data available
Specific extinguishing methods	In the case of a fire in the periphery, the portable container is quickly moved to a safe place.
Special protective equipment for firefighters	Wear suitable protective equipment (gloves, glasses and a mask) in fire-fighting.

SECTION 6 Accidental release measures

Personal precautions, protective equipment, and emergency procedures	Protection equipment (specified as those in which the properties of the product are suitable) worn during operation so that airborne droplets, etc., do not adhere to the skin and dusts and gases are not absorbed.
Environmental precautions	The leakage may not directly flow into rivers or sewage.
Methods and material for containment and cleaning up	The leaked material is scooped up, or swept up and gathered to be recovered in a paper bag or a drum. After recovery, a small amount of the residue is absorbed in sediment, sawdust, etc.
Secondary disaster prevention measures	No data

SECTION 7 Handling and storage

Precautions for safe handling	
Technical measures	Take measures for equipment as described in "8. Exposure controls/personal protection" and wear protective equipment.
Safety handling precautions	Handling work must be practiced in a room where there is a local or total ventilation facility.
Avoidance of contact	Refer to "10. Stability and reactivity."
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.
Conditions for safe storage, including any incompatibilities	

CANON OPTRON INC.

SDS Number: ES26

Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18
Revised Date 2022/5/13

Safe storage conditions Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

Safety packaging material No data available

SECTION 8 Exposure controls/personal protection

	<u>Cu</u>	<u>Fe</u>	<u>Fluoroalkylether</u>
Permissible concentration			
ACGIH	TWA 0.2 mg/m ³ (Hume), TWA 1 mg/m ³ (dust, mist) (2013 Edition)	No data available	No data available
Appropriate engineering controls	Use sealed devices, equipment, or a local exhaust ventilation as much as possible.		
Individual protection measures, such as personal protective equipment			
Respiratory protection	Dustproof mask		
Hand protection	Protective gloves		
Eye/face protection	Dust-proof glasses		
Skin protection	Protective clothing		

SECTION 9 Physical and chemical properties

Appearance

Physical state	Solid
Form	Cup or fibrous form
Colour	Copper and dark grey
Odour	None

	<u>Cu</u>	<u>Fe</u>	<u>Fluoroalkylether</u>
Melting point/freezing point	1083°C	1535°C	No data available
Boiling point or initial boiling point and boiling range	2595°C	2730°C	168.8 F(76 °C) (Fluoroalkylether)
Flammability	No data available	No data available	No data available
Upper/lower flammability or explosive limits	No data available	No data available	LEL:210g/m ³ (Fluoroalkylether) UEL:1070g/m ³ (Fluoroalkylether)
Flash point	No data available	No data available	Not applicable
Auto-ignition temperature	No data available	No data available	No data available

CANON OPTRON INC.

SDS Number: ES26

Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18
Revised Date 2022/5/13

Decomposition temperature	No data available	No data available	No data available
pH	No data available	No data available	Immeasurable
Kinematic viscosity	No data available	No data available	1 mm ² /s (25 ° C)
Solubility			
Water	Insoluble	Insoluble	Insoluble
Other solvents	It gradually dissolve in an ammonium solution. : HSDB(2013)	No data available	No data available
Partition coefficient: n-octanol/water	No data available	No data available	Not applicable
Vapour pressure	1 mm Hg at 1628°C: HSDB(2013)	No data available	14kPa (Fluoroalkylether)
Density and/or relative density (Density)	8.94g/cm ³ : HSDB(2013)	7.86	1.47(25°C)
Relative vapor density	No data available	No data available	9.1 (Fluoroalkylether)
Particle characteristics	No data available	No data available	No data available
Other information	No data available	No data available	No data available

SECTION 10 Stability and reactivity

	<u>Cu</u>	<u>Fe</u>	<u>Fluoroalkylether</u>
Reactivity	Turns green upon exposure to humid air. Compounds sensitive to shock are formed by acetylene compounds, ethylene oxides, and azides	No data available	No hazardous reaction known under normal condition of use, storage and transport.
Chemical stability	Turns green upon exposure to humid air. Compounds sensitive to shock are formed by acetylene compounds, ethylene oxides, and azides	Slowly oxidizes in the atmosphere.	Stable at normal conditions
Possibility of hazardous reactions	Reacts with oxides (chlorates, bromates, and iodates, etc.), so there is a risk of explosion	Produces rust when in presence of humidity.	Hazardous polymerization does not occur
Conditions to avoid	Contact with humidity and hazardous reactive materials.	High temperature, humidity, and flame	No data available

CANON OPTRON INC.

SDS Number: ES26

Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18

Revised Date 2022/5/13

Incompatible materials	<i>Acetylene compounds, ethylene oxides, azides, and oxidants (chlorate, bromate, iodate, etc)</i>	<i>Strong acids and ammonia</i>	<i>Strong oxidants, water, acids, and alkalines</i>
Hazardous decomposition products	<i>Carbon monoxide, carbon dioxide, and copper fumes produced by combustion.</i>	<i>No data available</i>	<i>Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product. hazardous decomposition gases including hydrogen fluoride, carbonyl difluoride, carbon monoxide, low molecular weight fluorocarbons, silicon dioxide.</i>

SECTION 11 Toxicological information

	<u><i>Cu</i></u>	<u><i>Fe</i></u>	<u><i>Fluoroalkylether</i></u>
Acute toxicity(oral)	<i>No data available</i>	<i>Oral administration in rat: LD50: 30 g/kg, Intraperitoneal administration in rat: LDLo: 20 mg/kg Oral administration in guinea pig: LD50: 20 mg/kg</i>	<i>No data available</i>
Acute toxicity(dermal)	<i>No data available</i>	<i>No data available</i>	<i>No data available</i>
Acute toxicity (Inhalation: Gases)	<i>Solid (GHS definition)</i>	<i>No data available</i>	<i>No data available</i>
Acute toxicity (Inhalation: Vapours)	<i>Solid (GHS definition)</i>	<i>No data available</i>	<i>No data available</i>
Acute toxicity (Inhalation: Dusts and mists)	<i>No data available</i>	<i>No data available</i>	<i>No data available</i>

CANON OPTRON INC.

SDS Number: ES26

Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18
Revised Date 2022/5/13

Skin corrosion/irritation	<i>Classification not possible due to lack of data. Besides, it is described in PATTY (6th, 2012) that contact dermatitis associated with copper has been reported, but few cases of dermatitis caused by copper metal or its compounds occur in the industry.</i>	<i>No data available</i>	<i>No data available</i>
Serious eye damage/irritation	<i>No data available</i>	<i>No data available</i>	<i>No data available</i>
Respiratory or skin sensitization	<i>It was classified in Category 1A because the Japan Society for Occupational Health (JSOH) classified copper and its compounds as occupational skin sensitizers Group 2 (Recommendation of Occupational Exposure Limits (Japan Society For Occupational Health (JSOH), 2012)), and it applies to this substance (OEL Documentations (Sensitization classification) (Japan Society For Occupational Health (JSOH, May 26, 2010))).</i>	<i>No data available</i>	<i>No data available</i>
Germ cell mutagenicity	<i>No data available</i>	<i>No data available</i>	<i>No data available</i>
Carcinogenicity	<i>It was classified as "Classification not possible" because the U.S. EPA classified it in I (IRIS (2005)). The category was revised according to the revised GHS classification guidance for the Japanese government.</i>	<i>No data available</i>	<i>No data available</i>
Reproductive toxicity	<i>No data available</i>	<i>No data available</i>	<i>No data available</i>

CANON OPTRON INC.

SDS Number: ES26
 Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18
 Revised Date 2022/5/13

Specific target organ toxicity(single exposure)

From the knowledge in humans in EHC (1998), ACGIH (7th, 2001), and ATSDR (2004), respiratory symptoms (respiratory tract irritation) are the main acute toxic signs in the inhalation route. As for oral exposure, it is described that digestive symptoms (nausea, vomiting, abdominal pain, etc.) were observed after the ingestion of drinking-water and others containing high copper concentrations, and there are numerous reports that nausea and vomiting mainly occurred. Other than these, it is reported in EHC that inhalation exposure caused hepatomegaly, but the air levels were very high, and it is described in ATSDR that liver lesions from acute copper poisoning are rare except for specific diseases (Wilson's disease, etc.). Therefore, the liver was not included in the target organs, and it was classified in Category 1 (digestive system), Category 3 (respiratory tract irritation).

No data available

No data available

CANON OPTRON INC.

SDS Number: ES26
 Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18
 Revised Date 2022/5/13

Specific target organ toxicity(repeated exposure)

It is reported in EHC (1998), DFGOT vol. 22 (2006) that repeated oral exposure to copper in humans caused digestive symptoms (nausea, vomiting, abdominal pain, etc.) and liver disorder (hepatic failure, cirrhosis). Because digestive symptoms are nausea, vomiting, abdominal pain, etc., they cannot be regarded as specific target organ toxicity. Furthermore, hepatic failure is reported in only one case, therefore it was judged impossible to generalize it. From the above, it was classified as "Classification not possible."

No data available

No data available

Aspiration hazard

No data available

No data available

No data available

Other information

No data available

SECTION 12 Ecological information

Cu

Fe

Fluoroalkylether

Toxicity

Hazardous to the aquatic environment Short-term(acute)

No data available

No data available

No data available

Hazardous to the aquatic environment Long-term(chronic)

No data available

No data available

No data available

Persistence and degradability

No data available

No data available

No data available

Bioaccumulative potential

No data available

No data available

No data available

Mobility in soil

No data available

No data available

No data available

Hazard to the ozone layer

This substance is not listed in Annexes to the Montreal Protocol.

No data available

No data available

Other adverse effects

No data available

No data available

No data available

SECTION 13 Disposal considerations

CANON OPTRON INC.

SDS Number: ES26

Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18

Revised Date 2022/5/13

Waste treatment methods

Process is contracted to industrial waste disposers who received approval of a prefectural governor.

Contaminated container and contaminated packaging

The container is recycled after being cleaned, or is appropriately processed according to the standards of related laws and regulations.
When disposing of empty containers, the contents should be completely removed.

SECTION 14 Transport information

	<u>Cu</u>	<u>Fe</u>	<u>Fluoroalkylether</u>
International regulation			
UN number	<i>Not applicable</i>	2793	<i>Not applicable</i>
UN proper shipping name	<i>Not applicable</i>	<i>FERROUS METAL BORINGS, SHAVINGS, TURNINGS or CUTTINGS in a form liable to self-heating</i>	<i>Not applicable</i>
UN classification	<i>Not applicable</i>	4.2	<i>Not applicable</i>
Transport hazard class	<i>Not applicable</i>	<i>Not applicable</i>	<i>Not applicable</i>
Packing group	<i>Not applicable</i>	III	<i>Not applicable</i>
Hazardous to the aquatic environment	<i>No data available</i>	<i>No data available</i>	<i>No data available</i>
Maritime transport in bulk according to IMO instruments	<i>No data available</i>	<i>No data available</i>	<i>No data available</i>
Japanese laws and regulations	<i>Refer to "15. Regulatory information."</i>	<i>Refer to "15. Regulatory information."</i>	<i>No data available</i>
Special precautions for users	<i>When transporting, protect from direct sunlight and take on cargo without breakage of container, corrosion and leakage. Do not transport with food and feedstuffs. Do not stack heavy good thereupon.</i>	<i>No data available</i>	<i>No data available</i>
Special Provisions	-	170	-

SECTION 15 Regulatory information (Japan)

	<u>Cu</u>	<u>Fe</u>	<u>Fluoroalkylether</u>
Occupational Safety and Health Law	<i>There is it in the case of an application or an application</i>	<i>Not applicable</i>	<i>No data available</i>
PRTR Law	<i>Not applicable</i>	<i>Not applicable</i>	<i>No data available</i>

CANON OPTRON INC.

SDS Number: ES26

Product Name: SURFCLEAR 300

SAFETY DATA SHEET

rev. 7.0 Date of Issue 2020/6/18

Revised Date 2022/5/13

Poisonous and Deleterious Substances control Law	<i>Not applicable</i>	<i>Not applicable</i>	<i>No data available</i>
Labor Standards Act	<i>Not applicable</i>	<i>Not applicable</i>	<i>No data available</i>
Chemical substances control Law	<i>Not applicable</i>	<i>Not applicable</i>	<i>No data available</i>
Fire fighting Law	<i>Not applicable</i>	<i>There is it in the case of an application or an application</i>	<i>No data available</i>
Air Pollution Control Act	<i>There is it in the case of an application or an application</i>	<i>Not applicable</i>	<i>No data available</i>
Water Pollution Prevention Act	<i>There is it in the case of an application or an application</i>	<i>There is it in the case of an application or an application</i>	<i>No data available</i>
Water Supply Act	<i>There is it in the case of an application or an application</i>	<i>There is it in the case of an application or an application</i>	<i>No data available</i>
Sewerage Act	<i>There is it in the case of an application or an application</i>	<i>There is it in the case of an application or an application</i>	<i>No data available</i>
Marine Pollution Prevention Law	<i>Not applicable</i>	<i>Not applicable</i>	<i>No data available</i>
Waste Management and Public Cleansing Act	<i>Not applicable</i>	<i>Not applicable</i>	<i>No data available</i>

Note

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

SECTION 16 Other information

The Safety Data Sheet (SDS) has been prepared based on currently available materials, information and data, and may be revised based on new information. Further, the important points in the SDS are made for the purpose of normal handling.

When handling the user product in a specialized manner, take the appropriate safety measures for the application or method.

Further, Canon Optron Inc. has paid sufficient attention to the described contents of the SDS, but does not guarantee the accuracy of its contents.

Literature Reference

[WEB site]

National Institute of Technology and Evaluation Homepage

Japan Advanced Information Center of Safety and Health Homepage

Ministry of Health, Labour and Welfare Homepage

[Regulatory review Tools]

ezCRIC (Japan Chemical Database Ltd)